

402 **OMEGA SYSTEM**

404 **DELTA SYSTEM**

406 GAMMA SYSTEM

408 **EPSILON SYSTEM**


410 FREE STANDING

411 ACRYLIC POCKET

412 LIGHT BOX



CABLE KIT 🕖 🖉 Omega System







12 543

Ø14x59mm


x10 🎏



12 117

Ø 40x170mm






320

319

232

CABLE KIT 🕖 🖉 Delta System






DELTA SYSTEM





CABLE KIT 🕖 🕜 Delta System





CABLE KIT 🕖 🔗 Gamma System



This movable and stylish Top Support is suitable for ceiling or wall. Convenient for wire with a diameter of Ø1.5mm or Ø3mm. With chrome finish. It is ideal for storefronts, travel agencies or banks.

Ø45x35mm

GAMMA WALL/BOTTOM FIXING

This movable and stylish bottom support is suitable for wall or floor placement. It includes adjust for tension Convenient for cable wire up to Ø1.5 - Ø3mm. With silver finish. Ideal for real states, for storefronts, travel agencies or banks, creating advertisement mosaics.

Ø45x35mm
















CABLE KIT 🕜 🏈 Epsilon System







This chromed pocket fixing Clip is suitable for 2 pockets. It is convenient for wire with a diameter of Ø1.5mm or Ø3mm.



12.319

Ø16x39mm

x10 🦈

CABLE KIT 🕜 🏈 Epsilon System



12.126

12.352

A4 Vertical

A3 Vertical


x10 🐃

EPSILON SYSTEM





FREE STANDING Free Standing



The Free Standing is a cable support system for aluminum frame with feet $% \left(1\right) =\left(1\right) \left(1\right) +\left(1\right) \left(1\right) \left(1\right) +\left(1\right) \left(1\right)$ and levelers. Featuring 3 different models. Every kit of Free Standing includes: 1 aluminium Framework, Top connectors, Bottom connectors, Single pocket clips, Double pocket clips and Ø1.5mm cable. Acrylic pockets not included.

| FREE STANDING | | |
|---------------|-----------------|--|
| 12.354 | 900x2120x392mm | |
| 12.355 | 1200x2120x392mm | |
| 12.356 | 1500x2120x392mm | |





ACRYLIC POCKET / Acrylic Pocket



x10 🦈

x10 🐃

12.126

12.352

A4 Vertical

A3 Vertical



LIGHT BOX 😥 🗿 🕦 🕩 🔗 Light Box














| A4 | 276x363mm | 240x327mm | ≥ 1500LUX | 12V | 4.8W |
|------------|-----------|-----------|-----------|-----|------|
| A3 | 363x486mm | 327x450mm | 2 1500LUX | 12V | 9.6W |
| INFORMATIC | N | | | | |

Light Boxes use 12V safe power and ultra bright LED lights and they are suitable for being used with any of the CableKit systems. Light Boxes feature a magnetic sealed design which makes it easy and fast to change the graphics. Compatible up to Ø1.5mm cable, these holder boxers can be used in a wide range of ways so users can create their own light display based on their needs. It features 2 formats (A4 and A3) with double sided format. The Kit Power Supply and its Power Connector are supplied separately. Ideal for being used on showcases, art expositions, storefronts, restaurants, hotels, banks, travel agencies, etc...

| Packing 2 2.1kg 2.5kg 0.121 410x330x90mm Graphic size External size | DOUBLE A4 | | | | | | |
|---|-----------|---|---------|-------|-------|-------------|--------|
| | Packing | 2 | 2.1kg | 2.5kg | 0.121 | 410x330 | 0x90mm |
| | | (| Graphic | size | Ext | ternal size | |
| 12.550 2 Sided A4 363x276x8mm x2 🍣 | 12.550 | 2 | 2 Sideo | d A4 | 363x | 276x8mm | x2 🏶 |

| DOUBLE A3 | | | | | | |
|-----------|---|---------|------|------|-------------|--------|
| Packing | 2 | 3.5kg | 4kg | 0.02 | 550x410 | Ox90mm |
| | (| Graphic | size | Ex | ternal size | |
| 12.551 | 2 | 2 Sideo | t A3 | 486 | x363x8mm | x2 🏶 |



LIGHT BOX 😥 🗿 🕦 🕩 🔗 Light Box

















Supply Kit has 12V safe power and contains 1 Power Cord and 1 Connector cable.

| | | CARLE LENGIF | | |
|--------|--------|--------------|--|--|
| 12.552 | 12V 2A | 2.5+1.5m | | |

POWER CONNECTOR FOR LIGHT BOX







These Power Connectors join the LED Lightboxes with the tension wire cable.

| 12.553 | Ø12x12mm | x4 🏶 | |
|--------|----------|------|--|

FOR ANY CABLEKIT SYSTEM AVAILABLE











Light Boxes are suitable for being used with any of our CableKit systems.

WIRE CABLE









Roll of wire cable suitable for Cablekit systems, with a length of 25m. 2 diameters available: Ø1mm and Ø1.5mm.

| WIRE CABLE | LENGTH | Ø WIRE | |
|------------|--------|--------|--|
| 12.121 | 25m | 1mm | |
| 12.315 | 25m | 1.5mm | |

LIGHT BOX

